ELSEVIER

Developmental Brain Research 85 (1995) 298–299

DEVELOPMENTAL BRAIN RESEARCH

Author Index

Ackermann, M.R., see Iqbal, J. (85) 151
Ahmed, A.K.M.F., Sugioka, K., Dong, K. and Yamadori, T.
A study of double-labeled retinal ganglion cells from the superior colliculus in the developing albino rat (85) 71
Allred, E., see Tsuji, M. (85) 192
Arias, P., Feleder, C., Rodríguez, M., Ginzburg, M., Refojo, D., Szwarcfarb, B. and Moguilevsky, J.A.
Repeated intracerebroventricular administration of taurine lowers LH levels and postpones vaginal opening in peripubertal female rats (85) 137

Barker, J.L., see Valeyev, A.Y. (85) 280
Binns, K.E., Withington, D.J. and Keating, M.J.
The developmental emergence of the representation of auditory azimuth in the external nucleus of the inferior colliculus of the guinea-pig: the effects of visual and auditory deprivation (85) 14
Bohn, M.C., see Choi-Lundberg, D.L. (85) 80
Bolan, A.L., see Sheedlo, H.J. (85) 171
Brand, T., see Swaab, D.F. (85) 273
Brees, D.K., see Kelly, M.M. (85) 31
Brunjes, P.C., see Paternostro, M.A. (85) 303
Brunso-Bechtold, J.K., see Niblock, M.M. (85) 288
Burek, M.J., Nordeen, K.W. and Nordeen, E.J.
Estrogen promotes neuron addition to an avian song-control nucleus by regulating post-mitotic events (85) 220

Chang, K.S., see Mickley, G.A. (85) 119
Chiu, F.-C., see Rozental, R. (85) 161
Choi-Lundberg, D.L. and Bohn, M.C.
Ontogeny and distribution of glial cell line-derived neurotrophic factor (GDNF) mRNA in rat (85) 80
Cole, G.J., see Kelly, M.M. (85) 31
Cynader, M., see Jia, W.W.-G. (85) 109

Day, I.N.M., see Schofield, J.N. (85) 229
Dencker, L., see Söderström, S. (85) 96
Dong, K., see Ahmed, A.K.M.F. (85) 71
Drukarch, B., see Van Muiswinkel, F.L. (85) 128
Dunaway, G.A., see Mhaskar, Y. (85) 54
Dunlap, V.S., see Valeyev, A.Y. (85) 280

Ebendal, T., see Söderström, S. (85) 96
Edwards, Y.H., see Schofield, J.N. (85) 229
Elmquist, J.K., see Iqbal, J. (85) 151
Enokido, Y., see Kubo, T. (85) 249

Farrell, S.T., see Mickley, G.A. (85) 119
Feleder, C., see Arias, P. (85) 137
Fredriksson, A., see Söderström, S. (85) 96
Fujisawa, H., see Hirata, T. (85) 201

Gallo, G. and Pollack, E.D.
Cyclic remodelling of growth cone lamellae and the effect of target tissue (85) 140
Gebhard, D., see Rozental, R. (85) 161
Ginzburg, M., see Arias, P. (85) 137
Gordon, I., Weizman, R., Rosenne, E. and Rehavi, M.
Developmental and age-related alterations in rat brain presynaptic dopaminergic mechanisms (85) 225
Goto, M., see Yoshida, Y. (85) 25
Greensmith, L., see Kerai, B. (85) 89
Grumet, M., see Sakurai, T. (85) 301

Hatanaka, H., see Kubo, T. (85) 249
Heaton, M.B., Paiva, M., Swanson, D.J. and Walker, D.W.
Alterations in responsiveness to ethanol and neurotrophic substances in fetal septohippocampal neurons following chronic prenatal ethanol exposure (85) 1
Henkel, C.K., see Niblock, M.M. (85) 288
Hirata, T., Kasugai, T., Morii, E., Hirota, S., Nomura, S., Fujisawa, H. and Kitamura, Y.
Characterization of c-*kit*-positive neurons in the dorsal root ganglion of mouse (85) 201
Hirota, S., see Hirata, T. (85) 201
Hoffman, S.N. and Prince, D.A.
Epileptogenesis in immature neocortical slices induced by 4-aminopyridine (85) 64
Holtzman, D., see Tsuji, M. (85) 192
Houtsmuller, E.J., see Swaab, D.F. (85) 273
Hovda, D.A., see Loopuijt, L.D. (85) 259
Hunter, S.E., Seibenhener, M.L. and Wooten, M.W.
Atypical ζ-protein kinase c displays a unique developmental expression pattern in rat brain (85) 239

Iqbal, J., Elmquist, J.K., Ross, L.R., Ackermann, M.R. and Jacobson, C.D.
Postnatal neurogenesis of the hypothalamic paraventricular and supraoptic nuclei in the Brazilian opossum brain (85) 151
Isobe, Y., Nakajima, K. and Nishino, H.
Arg-vasopressin content in the suprachiasmatic nucleus of rat pups: circadian rhythm and its development (85) 58

Jacobson, C.D., see Iqbal, J. (85) 151
Jaynes, D., see Sheedlo, H.J. (85) 171
Jensen, F., see Tsuji, M. (85) 192
Jia, W.W.-G., Liu, Y. and Cynader, M.
Postnatal development of inositol 1,4,5-trisphosphate receptors: a disparity with protein kinase C (85) 109
Jiang, Z.-G., Smith, R.A. and Neilson, M.M.A.
The effects of nerve growth factor on neurite outgrowth from cultured adult and aged mouse sensory neurons (85) 212
Jongenelen, C.A.M., see Van Muiswinkel, F.L. (85) 128

Kasugai, T., see Hirata, T. (85) 201
Keating, M.J., see Binns, K.E. (85) 14
Kelly, M.M., Phanhthourath, C., Brees, D.K., McCabe, C.F. and Cole, G.J.
Molecular characterization of EAP-300: a high molecular weight, embryonic polypeptide containing an amino acid repeat comprised of multiple leucine-zipper motifs (85) 31
Kerai, B., Greensmith, L., Vrbová, G. and Navarrete, R.
Effect of transient neonatal muscle paralysis on the growth of soleus motoneurones in the rat (85) 89
Kimm, E.J., Perez, C.E., Yu, C.C., Yu, J. and Robertson, R.T.
Reduction of transiently expressed acetylcholinesterase activity in developing thalamocortical projections does not affect the mature pattern of basal forebrain projections to visual cortex (85) 283
Kitamura, Y., see Hirata, T. (85) 201
Kubo, T., Nonomura, T., Enokido, Y. and Hatanaka, H.
Brain-derived neurotrophic factor (BDNF) can prevent apoptosis of rat cerebellar granule neurons in culture (85) 249

Leon, M., see Rangel, S. (85) 187
Liu, Y., see Jia, W.W.-G. (85) 109
Loopuijt, L.D., Villablanca, J.R. and Hovda, D.A.
Morphological changes in the thalamus and neocortex of the cat brain after a restricted unilateral fetal neocortical lesion (85) 259
Lovelace, J.D., see Mickley, G.A. (85) 119

McCabe, C.F., see Kelly, M.M. (85) 31
McCook, E.C., see Seidler, F.J. (85) 48
Mhaskar, Y. and Dunaway, G.A.
Alteration of PFK subunit protein, synthesis, and mRNA during neonatal brain development (85) 54
Mickley, G.A., Lovelace, J.D., Farrell, S.T. and Chang, K.S.
The intensity of a fetal taste aversion is modulated by the anesthesia used during conditioning (85) 119
Moguilevsky, J.A., see Arias, P. (85) 137
Morii, E., see Hirata, T. (85) 201
Muramatsu, T., see Yoshida, Y. (85) 25
Murphey, L.J. and Olsen, G.D.
Developmental change of *mu* opioid receptors in neonatal guinea pig brain stem (85) 146

Nakajima, K., see Isobe, Y. (85) 58
Navarrete, R., see Kerai, B. (85) 89
Neilson, M.M.A., see Jiang, Z.-G. (85) 212
Niblock, M.M., Brunso-Bechtold, J.K. and Henkel, C.K.
Fiber outgrowth and pathfinding in the developing auditory brainstem (85) 288
Nishino, H., see Isobe, Y. (85) 58
Nomura, S., see Hirata, T. (85) 201
Nonomura, T., see Kubo, T. (85) 249
Nordeen, E.J., see Burek, M.J. (85) 220
Nordeen, K.W., see Burek, M.J. (85) 220

Olsen, G.D., see Murphey, L.J. (85) 146
Osame, M., see Yoshida, Y. (85) 25
Ozawa, M., see Yoshida, Y. (85) 25

Padin, C., see Rozental, R. (85) 161
Paiva, M., see Heaton, M.B. (85) 1
Paternostro, M.A., Reyher, C.K.H. and Brunjes, P.C.
Intracellular injections of Lucifer Yellow into lightly fixed mitral cells reveal neuronal dye-coupling in the developing rat olfactory bulb (Dev. Brain Res. 84 (1995) 1–10) (BRESD 51916) (85) 303
Perez, C.E., see Kimm, E.J. (85) 283
Phanhthourath, C., see Kelly, M.M. (85) 31
Pollack, E.D., see Gallo, G. (85) 140
Prince, D.A., see Hoffman, S.N. (85) 64

Rangel, S. and Leon, M.
Early odor preference training increases olfactory bulb norepinephrine (85) 187
Refojo, D., see Arias, P. (85) 137
Rehavi, M., see Gordon, I. (85) 225
Reppert, S.M., see Weaver, D.R. (85) 293
Reyher, C.K.H., see Paternostro, M.A. (85) 303
Robertson, R.T., see Kimm, E.J. (85) 283
Roca, A.L., see Weaver, D.R. (85) 293
Rodnight, R., see Wofchuk, S.T. (85) 181
Rodríguez, M., see Arias, P. (85) 137
Rosenne, E., see Gordon, I. (85) 225
Ross, L.R., see Iqbal, J. (85) 151
Rozental, R., Gebhard, D., Padin, C., Urban, M., Wu, J.Y., Spray, D.C. and Chiu, F.-C.
Purification of cell populations from human fetal brain using flow cytometric techniques (85) 161

Sakurai, T., Shiga, T., Shirai, T., Tanaka, H. and Grumet, M.
Biochemical characterization and immunolocalization of SC2 protein: SC2 protein is indistinguishable from the cell adhesion molecule axonin-1 (Dev. Brain Res. 83 (1994) 99–108) (BRESD 51905) (85) 301
Sato, E., see Yoshida, Y. (85) 25
Schepens, H.T.W.J., see Van Muiswinkel, F.L. (85) 128
Schofield, J.N., Day, I.N.M., Thompson, R.J. and Edwards, Y.H.
PGP9.5, a ubiquitin C-terminal hydrolase; pattern of mRNA and protein expression during neural development in the mouse (85) 229
Seibenhener, M.L., see Hunter, S.E. (85) 239
Seidler, F.J., Temple, S.W., McCook, E.C. and Slotkin, T.A.
Cocaine inhibits central noradrenergic and dopaminergic activity during the critical developmental period in which catecholamines influence cell development (85) 48
Sheedlo, H.J., Jaynes, D., Bolan, A.L. and Turner, J.E.
Mullerian glia in dystrophic rodent retinas: an immunocytochemical analysis (85) 171
Shiga, T., see Sakurai, T. (85) 301
Shirai, T., see Sakurai, T. (85) 301
Slob, A.K., see Swaab, D.F. (85) 273
Slotkin, T.A., see Seidler, F.J. (85) 48
Smith, R.A., see Jiang, Z.-G. (85) 212
Söderström, S., Fredriksson, A., Dencker, L. and Ebendal, T.
The effect of mercury vapour on cholinergic neurons in the fetal brain: studies on the expression of nerve growth factor and its low- and high-affinity receptors (85) 96
Spray, D.C., see Rozental, R. (85) 161
Stoof, J.C., see Van Muiswinkel, F.L. (85) 128
Sugioka, K., see Ahmed, A.K.M.F. (85) 71
Swaab, D.F., Slob, A.K., Houtsmuller, E.J., Brand, T. and Zhou, J.N.
Increased number of vasopressin neurons in the suprachiasmatic nucleus (SCN) of 'bisexual' adult male rats following perinatal treatment with the aromatase blocker ATD (85) 273
Swanson, D.J., see Heaton, M.B. (85) 1
Szwarcfarb, B., see Arias, P. (85) 137

Tanaka, H., see Sakurai, T. (85) 301
Temple, S.W., see Seidler, F.J. (85) 48
Thompson, R.J., see Schofield, J.N. (85) 229
Tsuji, M., Allred, E., Jensen, F. and Holtzman, D.
Phosphocreatine and ATP regulation in the hypoxic developing rat brain (85) 192
Tsutsui, J.-i., see Yoshida, Y. (85) 25
Turner, J.E., see Sheedlo, H.J. (85) 171

Urban, M., see Rozental, R. (85) 161

Valeyev, A.Y., Dunlap, V.S. and Barker, J.L.
Pharmacological properties of fetal rat hippocampal $GABA_A$ receptors (85) 280
Van Muiswinkel, F.L., Jongenelen, C.A.M., Schepens, H.T.W.J., Stoof, J.C. and Drukarch, B.
Effects of chronic activation of dopamine D-2 receptors in cultures of rat fetal dopaminergic neurons: indications for alterations in functional activity (85) 128
Villablanca, J.R., see Loopuijt, L.D. (85) 259
Vrbová, G., see Kerai, B. (85) 89

Walker, D.W., see Heaton, M.B. (85) 1
Weaver, D.R., Roca, A.L. and Reppert, S.M.
c-*fos* and *jun*-B mRNAs are transiently expressed in fetal rodent suprachiasmatic nucleus following dopaminergic stimulation (85) 293
Weizman, R., see Gordon, I. (85) 225
Withington, D.J., see Binns, K.E. (85) 14
Wofchuk, S.T. and Rodnight, R.
Age-dependent changes in the regulation by external calcium ions of the phosphorylation of glial fibrillary acidic protein in slices of rat hippocampus (85) 181
Wooten, M.W., see Hunter, S.E. (85) 239
Wu, J.Y., see Rozental, R. (85) 161

Yamadori, T., see Ahmed, A.K.M.F. (85) 71
Yoshida, Y., Goto, M., Tsutsui, J.-i., Ozawa, M., Sato, E., Osame, M. and Muramatsu, T.
Midkine is present in the early stage of cerebral infarct (85) 25
Yu, C.C., see Kimm, E.J. (85) 283
Yu, J., see Kimm, E.J. (85) 283

Zhou, J.N., see Swaab, D.F. (85) 273

(contents continued)

Author Index 298

Errata

Biochemical characterization and immunolocalization of SC2 protein: SC2 protein is indistinguishable from the cell adhesion molecule axonin-1 (Dev. Brain Res. 83 (1994) 99–108) (BRESD 51905)
T. Sakurai, T. Shiga, T. Shirai, H. Tanaka and M. Grumet 301

Intracellular injections of Lucifer Yellow into lightly fixed mitral cells reveal neuronal dye-coupling in the developing rat olfactory bulb (Dev. Brain Res. 84 (1995) 1–10) (BRESD 51916)
M.A. Paternostro, C.K.H. Reyher and P.C. Brunjes 303